

|                     |
|---------------------|
| <b>SUS</b><br>ステンレス |
| 丸棒                  |
| 六角棒                 |
| 四角棒                 |
| アングル                |
| チャンネル               |
| 板                   |
| パイプ                 |
| 参考資料                |
| <b>SS</b><br>鉄      |
| クロ                  |
| ミガキ                 |
| <b>Ti</b><br>チタン    |
| 丸棒                  |
| 板                   |
| <b>AL</b><br>アルミニウム |
| 丸棒                  |
| 平角棒                 |
| アングル                |
| チャンネル               |
| パイプ                 |
| 板                   |
| 7000系               |
| 参考資料                |
| <b>BS</b><br>黄銅     |
| 丸・六角棒               |
| 平角棒                 |
| 板                   |
| パイプ                 |
| <b>Cu</b><br>銅      |
| 丸棒                  |
| 四角・平角棒              |
| 板                   |
| パイプ                 |
| その他の伸銅品             |
| 参考資料                |

| サイズ | 重量 kg/m |
|-----|---------|
| 4   | 0.112   |
| 5   | 0.175   |
| 6   | 0.251   |
| 7   | 0.342   |
| 8   | 0.447   |
| 9   | 0.566   |
| 10  | 0.698   |
| 11  | 0.845   |
| 12  | 1.005   |
| 13  | 1.18    |
| 14  | 1.369   |
| 15  | 1.571   |
| 16  | 1.784   |
| 17  | 2.018   |
| 18  | 2.262   |
| 19  | 2.521   |
| 20  | 2.793   |
| 21  | 3.079   |
| 22  | 3.379   |
| 23  | 3.694   |
| 24  | 4.022   |
| 25  | 4.364   |
| 26  | 4.72    |
| 27  | 5.09    |
| 28  | 5.474   |
| 29  | 5.872   |
| 30  | 6.284   |

| サイズ | 重量 kg/m |
|-----|---------|
| 31  | 6.71    |
| 32  | 7.15    |
| 33  | 7.604   |
| 34  | 8.071   |
| 35  | 8.553   |
| 136 | 9.049   |
| 137 | 9.56    |
| 38  | 10.08   |
| 39  | 10.62   |
| 40  | 11.17   |
| 41  | 11.74   |
| 42  | 12.32   |
| 43  | 12.91   |
| 44  | 13.52   |
| 45  | 14.14   |
| 46  | 14.77   |
| 47  | 15.43   |
| 48  | 16.09   |
| 49  | 16.77   |
| 50  | 17.46   |
| 55  | 21.12   |
| 60  | 25.15   |
| 65  | 29.5    |
| 70  | 34.21   |
| 75  | 39.27   |
| 80  | 44.69   |

定尺 5m但し●は4m

| サイズ  |     | 1本重量<br>kg |
|------|-----|------------|
| ●1.2 | 12  | 0.52       |
| ●2   | 10  | 0.72       |
|      | 12  | 0.88       |
|      | 15  | 1.08       |
|      | 16  | 1.16       |
| 2    | 20  | 1.8        |
|      | 25  | 2.3        |
|      | 30  | 2.7        |
| ●3   | 9   | 0.98       |
|      | 10  | 1.08       |
|      | 12  | 1.3        |
| 3    | 15  | 2.1        |
|      | 18  | 2.5        |
|      | 20  | 2.7        |
|      | 22  | 3          |
|      | 25  | 3.4        |
|      | 30  | 4.1        |
|      | 32  | 4.4        |
|      | 35  | 4.8        |
|      | 38  | 5.2        |
|      | 40  | 5.4        |
|      | 50  | 6.8        |
|      | 75  | 10.2       |
|      | 100 | 13.5       |
|      | 4   | 12         |
| 15   |     | 2.7        |
| 18   |     | 3.3        |
| 20   |     | 3.6        |
| 25   |     | 4.5        |
| 30   |     | 5.4        |
| 32   |     | 5.8        |
| 35   |     | 6.3        |
| 40   |     | 7.2        |
| 45   |     | 8.1        |
| 50   |     | 9          |
| 60   |     | 10.8       |
| 65   |     | 11.7       |
| 100  |     | 18         |
| 4.5  | 20  | 4.1        |
|      | 25  | 5.1        |
|      | 30  | 6.1        |
| 5    | 15  | 3.4        |
|      | 16  | 3.6        |
|      | 20  | 4.5        |
|      | 22  | 5          |
|      | 25  | 5.7        |
|      | 30  | 6.8        |
|      | 32  | 7.2        |
|      | 35  | 7.9        |
| 38   | 8.6 |            |

| サイズ |      | 1本重量<br>kg |
|-----|------|------------|
| 5   | 40   | 9          |
|     | 45   | 10.2       |
|     | 50   | 11.3       |
|     | 55   | 12.4       |
|     | 60   | 13.5       |
|     | 75   | 16.9       |
|     | 100  | 22.5       |
| 6   | 10   | 2.7        |
|     | 12   | 3.3        |
|     | 15   | 4.1        |
|     | 18   | 4.9        |
|     | 19   | 5.2        |
|     | 20   | 5.4        |
|     | 25   | 6.8        |
|     | 30   | 8.1        |
|     | 32   | 8.7        |
|     | 35   | 9.5        |
|     | 38   | 10.3       |
|     | 40   | 10.8       |
|     | 45   | 12.2       |
|     | 50   | 13.5       |
| 8   | 60   | 16.2       |
|     | 70   | 18.9       |
|     | 75   | 20.3       |
|     | 80   | 21.6       |
|     | 100  | 27         |
|     | 120  | 32.4       |
|     | 125  | 33.8       |
|     | 150  | 40.5       |
|     | 200  | 54         |
|     | 15   | 5.4        |
|     | 20   | 7.2        |
|     | 25   | 9          |
|     | 30   | 10.8       |
|     | 35   | 12.6       |
| 40  | 14.4 |            |
| 45  | 16.2 |            |
| 50  | 18   |            |
| 55  | 19.8 |            |
| 60  | 21.6 |            |
| 65  | 23.4 |            |
| 70  | 25.2 |            |
| 75  | 27   |            |
| 80  | 28.8 |            |
| 85  | 30.6 |            |
| 100 | 36   |            |
| 120 | 43.2 |            |
| 125 | 45   |            |
| 150 | 54   |            |

| サイズ |       | 1本重量<br>kg |      |
|-----|-------|------------|------|
| 8   | 200   | 72         |      |
|     | 15    | 6.8        |      |
|     | 20    | 9          |      |
|     | 25    | 11.3       |      |
|     | 30    | 13.5       |      |
|     | 35    | 15.8       |      |
|     | 40    | 18         |      |
|     | 45    | 20.3       |      |
|     | 50    | 22.5       |      |
|     | 60    | 27         |      |
|     | 65    | 29.3       |      |
|     | 70    | 31.5       |      |
|     | 75    | 33.8       |      |
|     | 10    | 80         | 36   |
| 100 |       | 45         |      |
| 120 |       | 54         |      |
| 125 |       | 56.3       |      |
| 150 |       | 67.5       |      |
| 200 |       | 90         |      |
| 12  |       | 20         | 10.8 |
|     |       | 25         | 13.5 |
|     |       | 30         | 16.2 |
|     |       | 35         | 18.9 |
|     |       | 10         | 21.6 |
|     |       | 50         | 27   |
|     |       | 60         | 32.4 |
|     |       | 65         | 35.1 |
|     | 75    | 40.5       |      |
|     | 100   | 54         |      |
|     | 150   | 81         |      |
|     | 15    | 20         | 13.5 |
|     |       | 25         | 16.9 |
|     |       | 30         | 20.3 |
| 40  |       | 27         |      |
| 50  |       | 33.8       |      |
| 55  |       | 37.2       |      |
| 60  |       | 40.5       |      |
| 65  |       | 43.9       |      |
| 70  |       | 47.3       |      |
| 75  |       | 50.7       |      |
| 80  |       | 54         |      |
| 100 |       | 67.5       |      |
| 120 |       | 81         |      |
| 125 |       | 84.4       |      |
| 150 | 101.3 |            |      |
| 20  | 20    | 18         |      |
|     | 25    | 22.5       |      |
|     | 30    | 27         |      |
|     | 40    | 36         |      |

| サイズ |     | 1本重量<br>kg |
|-----|-----|------------|
| 20  | 50  | 45         |
|     | 60  | 54         |
|     | 65  | 58.5       |
|     | 70  | 63         |
|     | 75  | 67.5       |
|     | 100 | 90         |
|     | 150 | 135        |
|     | 200 | 180        |
| 25  | 25  | 28.2       |
|     | 30  | 33.8       |
|     | 50  | 56.3       |
|     | 75  | 84.4       |
|     | 100 | 112.5      |
|     | 200 | 225        |
| 30  | 30  | 40.5       |
|     | 100 | 135        |
| 50  | 50  | 112.5      |

銅四角棒 定尺 4m

| サイズ |    | 1本重量<br>kg |
|-----|----|------------|
| 8   | 8  | 2.3        |
| 10  | 10 | 3.6        |
| 12  | 12 | 5.2        |
| 16  | 16 | 9.2        |
| 18  | 18 | 11.6       |
| 20  | 20 | 14.3       |
| 25  | 25 | 22.3       |
| 30  | 30 | 32.1       |
| 32  | 32 | 36.5       |
| 35  | 35 | 43.6       |
| 40  | 40 | 57         |
| 45  | 45 | 72.1       |
| 50  | 50 | 89         |
| 60  | 60 | 128.2      |
| 70  | 70 | 174.5      |

- SUS  
ステンレス
- 丸棒
- 六角棒
- 四角棒
- アングル
- チャンネル
- 板
- パイプ
- 参考資料
- SS  
鉄
- クロ
- ミガキ
- Ti  
チタン
- 丸棒
- 板
- AL  
アルミニウム
- 丸棒
- 平角棒
- アングル
- チャンネル
- パイプ
- 板
- 7000系
- 参考資料
- BS  
黄銅
- 丸・六角棒
- 平角棒
- 板
- パイプ
- Cu  
銅
- 丸棒
- 四角・平角棒
- 板
- パイプ
- その他の伸銅品
- 参考資料

|              | 厚さ m/m       | 365×1200 | 365×1212 | 455×1212 | 606×1212 | 910×1820 | 1000×2000 | 1250×2500 |      |  |
|--------------|--------------|----------|----------|----------|----------|----------|-----------|-----------|------|--|
| SUS<br>ステンレス | 丸棒           | 0.1      | 0.39     |          |          |          |           |           |      |  |
|              | 六角棒          | 0.2      |          | 0.8      |          |          |           |           |      |  |
|              | 四角棒          | 0.23     |          | 0.92     |          |          |           |           |      |  |
|              | アングル         | 0.25     |          | 1        | 1.24     |          |           |           |      |  |
|              | チャンネル        | 0.28     |          | 1.12     | 1.39     |          |           |           |      |  |
|              | 板            | 0.3      |          | 1.2      | 1.49     | 1.98     |           |           |      |  |
|              | パイプ          | 0.35     |          | 1.39     | 1.74     | 2.31     |           |           |      |  |
|              | 参考資料         | 0.4      |          | 1.59     | 1.99     | 2.64     | 5.96      | 7.2       |      |  |
|              |              | 0.5      |          | 1.99     | 2.48     | 3.31     | 7.45      | 9         |      |  |
|              |              | 0.6      | 2.37     |          | 2.98     |          | 8.94      | 10.8      |      |  |
|              |              | 0.7      | 2.76     |          |          |          |           | 12.6      |      |  |
|              |              | 0.8      | 3.15     |          |          |          |           | 14.4      | 22.5 |  |
|              |              | 1        | 3.94     |          |          |          |           | 18        | 28.1 |  |
|              |              | 1.2      | 4.73     |          |          |          |           | 21.6      | 33.8 |  |
|              |              | 1.5      | 5.91     |          |          |          |           | 27        | 42.2 |  |
|              | SS<br>鉄      | クロ       | 2        | 7.88     |          |          |           | 36        | 56.3 |  |
|              |              | ミガキ      | 2.5      | 9.86     |          |          |           | 45        | 70.3 |  |
|              |              | 3        | 11.8     |          |          |          | 54        | 84.4      |      |  |
|              |              | 4        | 15.8     |          |          |          | 72        | 112.5     |      |  |
|              |              | 5        | 19.7     |          |          |          | 90        | 140.6     |      |  |
|              |              | 6        | 23.7     |          |          |          | 108       | 168.8     |      |  |
|              |              | 7        | 27.6     |          |          |          | 126       | 196.9     |      |  |
|              |              | 8        | 31.5     |          |          |          | 144       | 225       |      |  |
|              |              | 10       | 39.4     |          |          |          | 180       | 281.3     |      |  |
|              |              | 12       | 47.3     |          |          |          | 216       | 337.5     |      |  |
|              |              | 15       | 59.1     |          |          |          | 270       | 421.9     |      |  |
|              |              | 20       | 78.8     |          |          |          | 360       | 562.5     |      |  |
|              |              | 25       | 98.6     |          |          |          | 450       | 703.1     |      |  |
|              |              | 30       | 118.3    |          |          |          | 540       |           |      |  |
|              |              | 40       | 157.7    |          |          |          |           |           |      |  |
|              |              | 50       | 197.1    |          |          |          |           |           |      |  |
| Ti<br>チタン    |              | 丸棒       |          |          |          |          |           |           |      |  |
|              | 板            |          |          |          |          |          |           |           |      |  |
|              | AL<br>アルミニウム | 丸棒       |          |          |          |          |           |           |      |  |
|              |              | 平角棒      |          |          |          |          |           |           |      |  |
|              |              | アングル     |          |          |          |          |           |           |      |  |
|              |              | チャンネル    |          |          |          |          |           |           |      |  |
|              |              | パイプ      |          |          |          |          |           |           |      |  |
|              |              | 板        |          |          |          |          |           |           |      |  |
|              |              | 7000系    |          |          |          |          |           |           |      |  |
|              |              | 参考資料     |          |          |          |          |           |           |      |  |
|              |              | BS<br>黄銅 | 丸・六角棒    |          |          |          |           |           |      |  |
|              |              |          | 平角棒      |          |          |          |           |           |      |  |
|              |              |          | 板        |          |          |          |           |           |      |  |
|              |              |          | パイプ      |          |          |          |           |           |      |  |
|              |              |          |          |          |          |          |           |           |      |  |
|              |              | Cu<br>銅  | 丸棒       |          |          |          |           |           |      |  |
|              |              |          | 四角・平角棒   |          |          |          |           |           |      |  |
| 板            |              |          |          |          |          |          |           |           |      |  |
| パイプ          |              |          |          |          |          |          |           |           |      |  |
| その他の伸銅品      |              |          |          |          |          |          |           |           |      |  |
| 参考資料         |              |          |          |          |          |          |           |           |      |  |

| サイズ  |     |      | 1本重量<br>kg |
|------|-----|------|------------|
| 3    | 0.5 | 10   | 0.35       |
| 3.17 | 0.5 | 10   | 0.38       |
| 4    | 0.5 | 10   | 0.49       |
|      | 0.5 | 100  | 4.9        |
|      | 0.8 | 10   | 0.72       |
|      | 0.8 | 100  | 7.2        |
|      | 1   | 10   | 0.84       |
|      | 1   | 100  | 8.4        |
| 4.76 | 0.8 | 10   | 0.89       |
|      | 0.8 | 100  | 8.9        |
| 5    | 0.8 | 10   | 0.95       |
|      | 0.8 | 100  | 9.5        |
|      | 1   | 10   | 1.12       |
|      | 1   | 100  | 11.2       |
| 6    | 0.8 | 10   | 1.17       |
|      | 0.8 | 20   | 2.34       |
|      | 0.8 | 100  | 11.7       |
|      | 1   | 10   | 1.4        |
|      | 1   | 20   | 2.8        |
|      | 1   | 100  | 14         |
|      | 1   | 200  | 28         |
|      | 1.2 | 10   | 1.62       |
|      | 1.2 | 20   | 3.24       |
|      | 1.5 | 10   | 1.89       |
| 6.35 | 0.8 | 10   | 1.25       |
|      | 0.8 | 20   | 2.5        |
|      | 0.8 | 100  | 12.5       |
|      | 1   | 10   | 1.5        |
|      | 1   | 20   | 3          |
|      | 1   | 100  | 15         |
| 8    | 0.8 | 10   | 1.62       |
|      | 0.8 | 20   | 3.24       |
|      | 0.8 | 100  | 16.2       |
|      | 1   | 10   | 1.96       |
|      | 1   | 20   | 3.92       |
|      | 1   | 100  | 19.6       |
|      | 1   | 200  | 39.2       |
|      | 1.2 | 10   | 2.29       |
|      | 1.2 | 20   | 4.58       |
|      | 1.5 | 10   | 2.73       |
|      | 1.5 | 20   | 5.46       |
|      | 2   | 10   | 3.36       |
| 2    | 20  | 6.72 |            |
| 9.52 | 0.8 | 10   | 1.96       |
|      | 0.8 | 20   | 3.92       |
|      | 0.8 | 100  | 19.6       |
|      | 1   | 10   | 2.39       |
|      | 1   | 20   | 4.78       |
|      | 1   | 100  | 23.9       |
| 1.2  | 10  | 2.8  |            |

| サイズ   |      |     | 1本重量<br>kg |      |
|-------|------|-----|------------|------|
| 9.52  | 1.5  | 10  | 3.37       |      |
| 10    | 0.8  | 10  | 2.07       |      |
|       | 0.8  | 20  | 4.14       |      |
|       | 1    | 10  | 2.52       |      |
|       | 1    | 20  | 5.04       |      |
|       | 1    | 100 | 25.2       |      |
|       | 1    | 200 | 50.6       |      |
|       | 1.2  | 10  | 2.96       |      |
|       | 1.2  | 20  | 5.92       |      |
|       | 1.2  | 100 | 29.6       |      |
|       | 1.5  | 10  | 3.57       |      |
|       | 1.5  | 20  | 7.14       |      |
|       | 1.5  | 100 | 35.7       |      |
|       | 2    | 10  | 4.48       |      |
|       | 2    | 20  | 8.96       |      |
|       | 2    | 30  | 13.5       |      |
|       | 2    | 50  | 22.4       |      |
| 12    | 1    | 10  | 3.08       |      |
|       | 1    | 20  | 6.16       |      |
|       | 1    | 100 | 30.8       |      |
|       | 1.2  | 10  | 3.63       |      |
|       | 1.2  | 100 | 36.3       |      |
|       | 1.5  | 10  | 4.41       |      |
|       | 1.5  | 20  | 8.82       |      |
|       | 1.5  | 50  | 22.1       |      |
|       | 1.5  | 10  | 5.6        |      |
|       | 2    | 50  | 28         |      |
|       | 12.7 | 0.8 | 10         | 2.67 |
|       |      | 0.8 | 20         | 5.34 |
|       |      | 0.8 | 100        | 26.7 |
|       |      | 1   | 10         | 3.28 |
| 1     |      | 20  | 6.56       |      |
| 1     |      | 50  | 16.4       |      |
| 1.2   |      | 10  | 3.87       |      |
| 1.5   |      | 10  | 4.71       |      |
| 1.5   |      | 20  | 9.42       |      |
| 1.5   |      | 100 | 47.1       |      |
| 14    | 1    | 10  | 3.64       |      |
|       | 1    | 20  | 7.28       |      |
| 15    | 1    | 10  | 3.92       |      |
|       | 1    | 20  | 7.84       |      |
|       | 1.5  | 10  | 5.67       |      |
|       | 1.5  | 30  | 17.01      |      |
|       | 1.5  | 50  | 28.35      |      |
|       | 2    | 10  | 14.56      |      |
|       | 2    | 30  | 43.7       |      |
| 15.88 | 0.8  | 10  | 3.38       |      |
|       | 0.8  | 20  | 6.76       |      |
|       | 0.8  | 30  | 10.14      |      |
|       | 0.8  | 50  | 16.9       |      |

| サイズ   |      |    | 1本重量<br>kg |
|-------|------|----|------------|
| 15.88 | 1    | 10 | 4.17       |
|       | 1    | 20 | 8.34       |
|       | 1    | 50 | 20.85      |
|       | 1.2  | 10 | 4.94       |
|       | 1.5  | 10 | 6.04       |
| 16    | 1.5  | 10 | 6.08       |
|       | 1.5  | 30 | 18.24      |
|       | 1    | 10 | 7.83       |
|       | 2    | 30 | 23.5       |
| 19.05 | 1    | 10 | 5.06       |
|       | 1    | 20 | 10.12      |
|       | 1    | 30 | 15.18      |
|       | 1    | 50 | 25.3       |
|       | 1.2  | 10 | 6          |
|       | 1.2  | 20 | 12         |
|       | 1.5  | 10 | 7.38       |
|       | 1.5  | 20 | 14.76      |
| 20    | 2    | 10 | 10.06      |
|       | 2    | 30 | 30.2       |
| 22.22 | 1    | 10 | 5.95       |
|       | 1    | 20 | 11.9       |
|       | 1.14 | 5  | 3.38       |
| 25.4  | 1.2  | 5  | 4.07       |
| 28.58 | 1.27 | 5  | 4.87       |

- SUS  
ステンレス
- 丸棒
- 六角棒
- 四角棒
- アングル
- チャンネル
- 板
- パイプ
- 参考資料
- SS  
鉄
- クロ
- ミガキ
- Ti  
チタン
- 丸棒
- 板
- AL  
アルミニウム
- 丸棒
- 平角棒
- アングル
- チャンネル
- パイプ
- 板
- 7000系
- 参考資料
- BS  
黄銅
- 丸・六角棒
- 平角棒
- 板
- パイプ
- Cu  
銅
- 丸棒
- 四角・平角棒
- 板
- パイプ
- その他の伸銅品
- 参考資料

# 銅管 (1)

定尺 5m 1本重量/kg

| SUS<br>ステンレス | 厚さ<br>径<br>m/m | 0.3 | 0.35 | 0.4 | 0.5  | 0.6  | 0.7  | 0.8  | 1    | 1.2  | 1.5  | 1.6  | 1.7 | 2.0 | 2.5  | 2.6  | 3 | 3.5  | 4    | 5    |
|--------------|----------------|-----|------|-----|------|------|------|------|------|------|------|------|-----|-----|------|------|---|------|------|------|
|              |                | 丸棒  | 2m   |     |      |      |      |      |      |      |      |      |     |     |      |      |   |      |      |      |
| 六角棒          | 2              |     | 2m   |     |      |      |      |      |      |      |      |      |     |     |      |      |   |      |      |      |
| 四角棒          | 2.5            |     |      | 2m  |      |      |      |      |      |      |      |      |     |     |      |      |   |      |      |      |
| アングル         | 3              |     |      |     | 0.18 | 0.2  |      | 0.25 |      |      |      |      |     |     |      |      |   |      |      |      |
| チャンネル        | 3.17           |     |      |     | 0.19 | 0.22 |      |      |      |      |      |      |     |     |      |      |   |      |      |      |
| 板            | 3.5            |     |      |     | 0.21 |      |      |      |      |      |      |      |     |     |      |      |   |      |      |      |
| パイプ          | 4              |     |      |     | 0.25 | 0.29 |      | 0.36 | 0.42 |      |      |      |     |     |      |      |   |      |      |      |
| 参考資料         | 4.8            |     |      |     |      |      |      | 0.45 |      |      |      |      |     |     |      |      |   |      |      |      |
|              | 5              |     |      |     | 0.32 | 0.37 |      | 0.47 | 0.56 |      |      |      |     |     |      |      |   |      |      |      |
|              | 6              |     |      |     | 0.39 | 0.46 |      | 0.58 | 0.7  | 0.81 | 0.95 |      |     |     | 1.12 |      |   |      |      |      |
|              | 6.35           |     |      |     | 0.41 |      |      | 0.62 | 0.75 | 0.87 | 1.02 |      |     |     | 1.22 |      |   |      |      |      |
| SS<br>鉄      | 7              |     |      |     |      |      | 0.62 |      | 0.84 | 0.97 | 1.15 |      |     |     |      |      |   |      |      |      |
| クロ           | 8              |     |      |     | 0.53 | 0.62 |      | 0.81 | 0.98 | 1.14 | 1.36 | 1.43 |     |     | 1.68 |      |   |      |      |      |
| ミガキ          | 9              |     |      |     |      |      |      |      | 1.12 | 1.31 | 1.57 |      |     |     | 1.96 |      |   |      |      |      |
|              | 9.52           |     |      |     | 0.75 |      |      | 0.98 | 1.19 | 1.4  | 1.68 | 1.77 |     |     | 2.1  |      |   |      |      |      |
| Ti<br>チタン    | 10             |     |      |     |      |      |      | 1.03 | 1.26 | 1.48 | 1.78 | 1.88 |     |     | 2.24 | 2.62 |   |      |      |      |
| 丸棒           | 11             |     |      |     |      |      |      |      | 1.4  | 1.64 | 1.99 |      |     |     | 2.52 |      |   | 3.35 |      |      |
| 板            | 12             |     |      |     |      |      | 1.11 | 1.25 | 1.54 | 1.81 | 2.2  | 2.33 |     |     | 2.8  | 3.32 |   | 3.77 |      |      |
|              | 12.7           |     |      |     | 1.02 |      |      | 1.33 | 1.64 | 1.93 | 2.35 |      |     |     | 2.99 |      |   | 4.06 |      |      |
|              | 13             |     |      |     |      |      |      |      | 1.68 | 1.98 | 2.41 |      |     |     | 3.07 |      |   |      |      |      |
|              | 14             |     |      |     |      |      |      |      | 1.82 | 2.15 | 2.63 |      |     |     | 3.35 | 4.02 |   | 4.61 |      |      |
| AL<br>アルミニウム | 15             |     |      |     |      |      |      | 1.59 | 1.96 | 2.31 | 2.83 | 3    |     |     | 3.63 | 4.36 |   | 5.03 |      |      |
| 丸棒           | 15.88          |     |      |     | 1.28 |      |      | 1.69 | 2.08 | 2.46 | 3.01 | 3.19 |     |     | 3.88 |      |   | 5.4  |      |      |
| 平角棒          | 16             |     |      |     |      |      |      |      | 2.1  | 2.48 | 3.04 | 3.22 |     |     | 3.91 | 4.71 |   | 5.45 |      | 6.7  |
| アングル         | 18             |     |      |     |      |      |      |      | 2.38 | 2.82 | 3.46 | 3.67 |     |     | 4.47 | 5.41 |   | 6.28 |      |      |
| チャンネル        | 19.05          |     |      |     |      |      |      | 2.04 | 2.52 | 2.99 | 3.68 | 3.9  |     |     | 4.76 | 5.78 |   | 6.72 |      | 8.41 |
| パイプ          | 20             |     |      |     |      |      |      |      | 2.66 | 3.15 | 3.88 | 4.11 |     |     | 5.03 | 6.11 |   | 7.12 |      | 8.96 |
| 板            | 21.7           |     |      |     |      |      |      |      |      |      |      |      |     |     |      | 6.94 |   |      |      | 10.5 |
| 7000系        | 22             |     |      |     |      |      |      |      | 2.93 | 3.49 | 4.3  |      |     |     | 5.59 | 6.81 |   | 7.96 | 9.04 | 10.1 |
| 参考資料         | 22.22          |     |      |     |      |      |      |      | 2.96 | 3.52 | 4.34 | 4.61 |     |     | 5.65 |      |   | 8.05 |      | 11.9 |
|              | 24             |     |      |     |      |      |      |      |      |      |      |      |     |     | 6.14 |      |   |      |      |      |
|              | 25             |     |      |     |      |      |      |      | 3.35 | 3.99 | 4.92 | 5.23 |     |     | 6.42 | 7.85 |   | 9.22 | 10.5 | 11.8 |
|              | 25.4           |     |      |     |      |      |      | 2.75 | 3.41 | 4.06 | 5    | 5.32 |     |     | 6.54 | 8    |   | 9.38 |      | 14   |
|              | 27.2           |     |      |     |      |      |      |      |      |      |      |      |     |     |      | 8.93 |   |      |      | 10.2 |
| BS<br>黄銅     | 28             |     |      |     |      |      |      |      | 3.78 |      | 5.57 |      |     |     | 7.26 | 8.9  |   | 10.5 |      |      |
| 丸・六角棒        | 28.58          |     |      |     |      |      |      |      | 3.85 | 4.6  | 5.67 | 6.03 |     |     | 7.42 |      |   | 10.7 |      |      |
| 平角棒          | 30             |     |      |     |      |      |      |      | 4.05 | 4.83 | 5.97 | 6.35 |     |     | 7.82 | 9.6  |   | 11.3 |      | 14.5 |
| 板            | 31.75          |     |      |     |      |      |      | 3.46 | 4.3  | 5.12 | 6.34 | 6.74 |     |     | 8.31 |      |   | 12.1 |      | 17.5 |
| パイプ          | 32             |     |      |     |      |      |      |      |      |      |      | 6.8  |     |     | 8.38 | 10.3 |   | 12.2 | 14   | 15.7 |
|              | 34             |     |      |     |      |      |      |      |      |      |      |      |     |     | 8.94 |      |   | 13   |      | 18.9 |
|              | 35             |     |      |     |      |      |      |      | 4.75 | 5.66 | 7.02 | 7.46 |     |     | 9.22 | 11.4 |   | 13.4 | 15.4 | 17.3 |
|              | 38.1           |     |      |     |      |      |      |      | 5.18 | 6.18 | 7.67 | 8.15 |     |     | 10.1 | 12.5 |   | 14.7 |      | 19.1 |
| Cu<br>銅      | 40             |     |      |     |      |      |      |      | 5.45 |      | 8.1  |      |     |     | 10.6 | 13.1 |   | 15.5 |      | 23.1 |
| 丸棒           | 41.3           |     |      |     |      |      |      |      |      |      | 8.34 |      | 9.4 | 11  |      |      |   | 16.1 |      | 24.5 |
| 四角・平角棒       | 42             |     |      |     |      |      |      |      |      |      | 8.5  |      |     |     |      |      |   |      | 21.2 | 25.9 |
| 板            | 42.7           |     |      |     |      |      |      |      |      |      |      |      |     |     |      |      |   | 16.7 |      |      |
| パイプ          | 44.45          |     |      |     |      |      |      |      | 6.07 | 7.25 | 9    | 9.57 |     |     | 11.9 |      |   | 17.4 |      |      |
| その他の伸銅品      | 45             |     |      |     |      |      |      |      |      |      | 9.14 |      |     |     | 12   | 14.9 |   | 17.6 |      | 22.9 |
| 参考資料         |                |     |      |     |      |      |      |      |      |      |      |      |     |     |      |      |   |      |      | 27.9 |

定尺 5m 1本重量/kg

| 厚さ<br>径<br>m/m | 1.2  | 1.5  | 2    | 2.5  | 3    | 4     | 4.5  | 5     | 6 | 7     | 8 |
|----------------|------|------|------|------|------|-------|------|-------|---|-------|---|
| 47.6           |      |      |      |      | 18.7 |       |      |       |   |       |   |
| 48             |      |      |      |      | 18.9 | 24.6  |      | 30    |   |       |   |
| 48.6           |      |      |      |      | 19.1 |       |      |       |   |       |   |
| 50             |      |      | 13.4 | 16.6 | 19.7 | 25.7  |      | 31.4  |   |       |   |
| 50.8           | 8.34 | 10.4 | 13.7 |      | 20   | 26.3  |      | 32    |   |       |   |
| 54             |      |      | 14.5 |      |      |       |      |       |   |       |   |
| 55             |      |      | 14.8 | 18.3 | 21.8 | 28.5  |      | 34.9  |   |       |   |
| 57.15          |      | 11.7 | 15.4 |      | 22.7 | 29.8  |      | 36.5  |   |       |   |
| 60             |      | 12.3 | 16.2 |      | 23.9 | 31.3  | 34.9 | 38.4  |   |       |   |
| 63.5           |      | 13.1 | 17.2 |      | 25.4 | 33.3  |      | 40.9  |   |       |   |
| 65             |      |      |      |      | 26   | 34.1  |      | 41.9  |   |       |   |
| 70             |      |      | 19.1 |      | 28.1 | 36.9  |      | 45.4  |   |       |   |
| 75             |      |      | 20.4 |      | 30.2 | 39.7  |      | 48.9  |   |       |   |
| 76.2           |      |      | 20.7 |      | 30.7 | 40.3  |      | 49.7  |   |       |   |
| 80             |      |      |      |      | 32.3 | 42.5  |      | 52.4  |   |       |   |
| 82.55          |      |      |      |      | 33.3 |       |      |       |   |       |   |
| 85             |      |      |      |      | 34.4 | 45.3  |      | 55.9  |   |       |   |
| 88.9           |      |      |      |      | 36   | 47.4  |      | 58.6  |   |       |   |
| 90             |      |      |      |      |      | 48    |      | 59.4  |   |       |   |
| 95.25          |      |      |      |      | 38.7 |       |      | 63.2  |   |       |   |
| 100            |      |      |      |      | 40.8 | 53.6  |      | 66.3  |   |       |   |
| 101.6          |      |      | 27.9 |      | 41.3 | 54.5  |      | 67.4  |   |       |   |
| 110            |      |      |      |      | 44.8 | 59.2  |      | 73.3  |   |       |   |
| 114.3          |      |      |      |      | 46.8 | 61.6  |      | 76.3  |   |       |   |
| 115            |      |      |      |      |      | 62    |      | 76.8  |   |       |   |
| 120            |      |      |      |      | 49.2 | 64.8  |      | 80.3  |   |       |   |
| 127            |      |      |      |      | 52.1 | 68.7  |      | 85.2  |   |       |   |
| 130            |      |      |      |      | 53.2 | 70.5  |      | 87.3  |   |       |   |
| 140            |      |      |      |      | 57.6 | 76    |      | 94.3  |   |       |   |
| 152.4          |      |      |      |      | 62.8 | 82.9  |      | 102.9 |   |       |   |
| 160            |      |      |      |      |      | 87.1  |      | 108.2 |   |       |   |
| 165            |      |      |      |      |      | 89.9  |      | 111.7 |   |       |   |
| 180            |      |      |      |      |      | 98.3  |      | 122.2 |   |       |   |
| 185            |      |      |      |      |      |       |      |       |   | 197.7 |   |
| 200            |      |      |      |      |      | 109.5 |      | 136.1 |   |       |   |

SUS  
ステンレス

丸棒

六角棒

四角棒

アングル

チャンネル

板

パイプ

参考資料

SS

鉄

クロ

ミガキ

Ti

チタン

丸棒

板

AL

アルミニウム

丸棒

平角棒

アングル

チャンネル

パイプ

板

7000系

参考資料

BS

黄銅

丸・六角棒

平角棒

板

パイプ

Cu

銅

丸棒

四角・平角棒

板

パイプ

その他の伸銅品

参考資料

- SUS  
ステンレス
- 丸棒
- 六角棒
- 四角棒
- アングル
- チャンネル
- 板
- パイプ
- 参考資料
- SS  
鉄
- クロ
- ミガキ
- Ti  
チタン
- 丸棒
- 板
- AL  
アルミニウム
- 丸棒
- 平角棒
- アングル
- チャンネル
- パイプ
- 板
- 7000系
- 参考資料
- BS  
黄銅
- 丸・六角棒
- 平角棒
- 板
- パイプ
- Cu  
銅
- 丸棒
- 四角・平角棒
- 板
- パイプ
- その他の伸銅品
- 参考資料

| 無酸素銅丸棒 |        |         |
|--------|--------|---------|
| 直径 m/m | 長さ m/m | 1本重量 kg |
| 8      | 2,000  | 0.904   |
| 10     | 2,000  | 1.414   |
| 12     | 4,000  | 4.072   |
| 15     | 4,000  | 6.36    |
| 16     | 4,000  | 7.24    |
| 20     | 4,000  | 11.308  |
| 25     | 4,000  | 17.672  |
| 30     | 4,000  | 25.488  |
| 40     | 4,000  | 45.24   |
| 50     | 4,000  | 70.6784 |
| 60     | 4,000  | 101.788 |
| 70     | L      | 34.636  |
| 80     | L      | 45.239  |
| 90     | L      | 57.257  |
| 100    | L      | 70.686  |
| 110    | L      | 85.53   |
| 120    | L      | 101.788 |
| 130    | L      | 119.459 |
| 140    | L      | 138.545 |
| 150    | L      | 159.044 |
| 180    | L      | 229.022 |
| 200    | L      | 282.744 |

| 無酸素銅小板(CuP)              |     |      | 重量/kg |
|--------------------------|-----|------|-------|
| C1100P-1/4H(TCuP)<br>サイズ |     |      | 重量/PC |
| 0.2                      | 365 | 1200 | 0.8   |
| 0.3                      | 365 | 1200 | 1.2   |
| 0.4                      | 365 | 1200 | 1.6   |
| 0.5                      | 365 | 1200 | 2.0   |
| 0.6                      | 365 | 1200 | 2.4   |
| 0.7                      | 365 | 1200 | 2.8   |
| 0.8                      | 365 | 1200 | 3.2   |
| 1                        | 365 | 1200 | 4     |
| 1.2                      | 365 | 1200 | 4.8   |
| 1.5                      | 365 | 1200 | 6     |
| 1.6                      | 365 | 1200 | 6.4   |
| 2                        | 365 | 1200 | 8     |
| 2.5                      | 365 | 1200 | 10    |
| 3                        | 365 | 1200 | 12    |
| 3.2                      | 365 | 1200 | 12.8  |
| 4                        | 365 | 1200 | 16    |
| 5                        | 365 | 1200 | 20    |
| 6                        | 365 | 1200 | 24    |
| 8                        | 365 | 1200 | 32    |
| 10                       | 365 | 1200 | 40    |

JIS H3100 C1100P-1/4H・F  
JIS H3100 C1020P-1/2H